

**FIDELIS CARE NEW YORK – DEPARTMENT OF PHARMACY SERVICES**  
**J-Code Prior Authorizations & Required Clinical Information**  
 Medicaid, Child Health Plus, HealthierLife, Metal-Level

Updated: 10/31/2017

| <b>J-Code</b> | <b>Trade Name</b> | <b>Drug Name</b>   | <b>Required Medical Information</b>  |
|---------------|-------------------|--------------------|--|
| J0129         | <b>Orencia</b>    | Abatacept          | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• Documented patient weight, tuberculin skin test results or quantiferon gold lab results within 12 months, immunization history</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J0135         | <b>Humira</b>     | Adalimumab         | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• Documented patient weight, tuberculin skin test results or quantiferon gold lab results within 12 months, immunization history</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J0180         | <b>Fabrazyme</b>  | Algalsidase beta   | <ul style="list-style-type: none"> <li>• Enzyme assay showing deficiency of alpha-galactosidase activity or DNA testing</li> <li>• Copies of lab results e.g. IgG, IgE</li> <li>• Documented patient weight</li> <li>• History of present disease state and progression in medical records</li> </ul>  |
| J0205         | <b>Ceredase</b>   | Alglucerase        | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of lab results e.g. CBC, platelets, liver function tests, plasma glucocerebroside, IgG antibody</li> </ul>   |
| J0215         | <b>Amevive</b>    | Alefacept          | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• Copies of lab results e.g. CD4<sup>+</sup> T-lymphocyte, transaminase</li> <li>• Immunization history, body surface area affected, tuberculin skin test results or quantiferon gold lab results within 12 months</li> <li>• History of phototherapy trial if applicable</li> </ul> |
| J0220         | <b>Myozyme</b>    | Alglucosidase alfa | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results e.g. IgG &amp; IgE antibodies</li> </ul>  |
| J0221         | <b>Lumizyme</b>   | Alglucosidase alfa | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results e.g. IgG &amp; IgE antibodies</li> </ul>  |

|                                  |   |                                  |  |
|----------------------------------|---|----------------------------------|--|
| J0256                            | <b>Prolastin-C<br/>Aralast-NP<br/>Zemaira</b> | Alpha 1-proteinase inhibitor     | <ul style="list-style-type: none"> <li>• Documented patient weight, FEV<sub>1</sub>, pulmonary function tests, smoker status</li> <li>• Copies of pertinent lab results e.g. AAT levels or genetic testing confirming AAT deficiency</li> <li>• History of present disease state and progression in medical records</li> </ul>                     |
| J0257                            | <b>Glassia</b>                                | Alpha 1-proteinase inhibitor     | <ul style="list-style-type: none"> <li>• Documented patient weight, FEV<sub>1</sub>, pulmonary function tests, Hepatitis B status, smoker status</li> <li>• Copies of pertinent lab results e.g. AAT levels or genetic testing confirming AAT deficiency</li> <li>• History of present disease state and progression in medical records</li> </ul> |
| J0270                            | <b>Caverject</b>                              | Alprostadil injection            | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> </ul>  |
| J0275                            | <b>Muse</b>                                   | Alprostadil urethral suppository | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> </ul>  |
| J0476                            | <b>Lioresal</b>                               | Baclofen intrathecal             | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0480                            | <b>Simulect</b>                               | Basiliximab                      | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Planned immunosuppressive regimen containing tacrolimus, belatacept, sirolimus, or cyclosporine</li> <li>• Copies of pertinent lab results e.g. CBC with differential</li> </ul>   |
| J0490                            | <b>Benlysta</b>                               | Belimumab                        | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight, immunization history</li> <li>• Copies of pertinent lab results</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0570                            | <b>Probuphine</b>                             | Buprenorphine implant            | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0571                            |   | Buprenorphine                    | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0572<br>J0573<br>J0574<br>J0575 |   | Buprenorphine/<br>naloxone       | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |

|       |                                    |                        |  |
|-------|------------------------------------|------------------------|--|
| J0585 | <b>Botox</b>                       | Onabotulinum toxinA    | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0586 | <b>Dysport</b>                     | Abobotulinum toxinA    | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0587 | <b>Myobloc</b>                     | Rimabotulinum toxinB   | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0588 | <b>Xeomin</b>                      | Incobotulinum toxin A  | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0592 | <b>Buprenex</b>                    | Buprenorphine          | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J0597 | <b>Beriner</b>                     | C1-esterase inhibitor  | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• ≥ 12 years of age</li> </ul>   |
| J0598 | <b>Cinryze</b>                     | C1-esterase Inhibitor  | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• ≥ 9 years of age</li> </ul>  |
| J0638 | <b>Ilaris</b>                      | Canakinumab            | <ul style="list-style-type: none"> <li>• Documented patient weight, immunization history</li> <li>• History of present disease state and progression in medical records</li> <li>• Copies of lab results e.g. CRP and amyloid A levels, CBC with differential, tuberculin skin test results or quantiferon gold lab results within 12 months</li> <li>• Previous medication history with trial dates and outcomes</li> </ul> |
| J0706 | <b>Cafcit</b>                      | Caffeine citrate       | <ul style="list-style-type: none"> <li>• Documented patient weight, serum caffeine levels</li> <li>• Gestational age</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J0717 | <b>Cimzia</b>                      | Certolizumab pegol     | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• Documented patient weight, tuberculin skin test results or quantiferon gold lab results within 12 months, immunization history</li> </ul>  |
| J0725 | <b>Novarel, Pregnyl (Multiple)</b> | Chorionic gonadotropin | <ul style="list-style-type: none"> <li>• Copies of pertinent lab results e.g. serum fasting testosterone levels, FSH &amp; LH level</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |

|       |                     |                          |  |
|-------|---------------------|--------------------------|--|
| J0775 | <b>Xiaflex</b>      | Clostridium histolyticum | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• Documentation of involvement of metacarpophalangeal or proximal interphalangeal joints</li> <li>• Positive table top test</li> </ul>  |
| J0897 | <b>Prolia Xgeva</b> | Denosumab                | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes including concurrent calcium and vitamin D intake</li> <li>• History of present disease state and progression in medical records including fracture history</li> </ul> <p>Copies of pertinent lab results e.g. bone mineral density (T score)</p>   |
| J1050 | <b>Depo-Provera</b> | Medroxyprogesterone      | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J1071 |                     | Testosterone cypionate   | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• Copies of pertinent lab results e.g. sting level of serum total testosterone collected by 10am</li> </ul>   |
| J1290 | <b>Kalbitor</b>     | Ecaltantide              | <ul style="list-style-type: none"> <li>• ≥ 16 years of age</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J1300 | <b>Soliris</b>      | Eculizumab               | <ul style="list-style-type: none"> <li>• Meningococcal vaccine at least 2 weeks prior to treatment, immunization history,</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul> <p>Copies of lab results e.g. CBC with differential, lactic dehydrogenase (LDH), serum creatinine</p> |
| J1322 | <b>Vimizim</b>      | Elosulfase alfa          | <ul style="list-style-type: none"> <li>• ≥ 5 years of age</li> <li>• Documented patient height &amp; weight</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J1325 | <b>Fiolan</b>       | Epoprostenol             | <ul style="list-style-type: none"> <li>• Documented patient weight, right heart cauterization history, baseline 6 minute walking distance test</li> <li>• WHO Group, NYHA Class</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |

|   |   |                    |  |
|---|---|--------------------|--|
| J1438   | <b>Enbrel</b>   | Etanercept         | <ul style="list-style-type: none"> <li>• Patient weight, tuberculin skin test results or quantiferon gold lab results within 12 months, hepatitis B screening</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J1459<br>J1460<br>J1556<br>J1557<br>J1559<br>J1560<br>J1561<br>J1562<br>J1566<br>J1568<br>J1569<br>J1572<br>J1599 | <b>Privigen,<br/>Gammagard<br/>Gammalex<br/>Carimune<br/>(Multiple brand names)</b> | IV immune Globulin | <ul style="list-style-type: none"> <li>• Documented ideal body weight, actual body weight, immunization history</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• Copies of pertinent lab results e.g. serum creatinine/BUN, platelets, Ig levels</li> <li>• Absence of risk factors for acute renal failure and IgA deficiency</li> <li>• History of present disease state and progression in medical records</li> <li>• Documentation of the severity of the condition, including frequency and severity of infections when applicable</li> <li>• Documentation of diagnostic evidence supporting the indication for which immune globulin is requested demonstrating the member meets criteria for the disease specific guidelines for use, if available</li> </ul> |
| J1595   | <b>Copaxone</b>   | Glatiramer acetate | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documentation of diagnostic evidence supporting the indication for which glatiamer acetate is requested e.g. MRI results</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J1740   | <b>Boniva</b>   | Ibandronate        | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes including concurrent calcium and vitamin D intake</li> <li>• History of present disease state and progression in medical records including fracture history</li> <li>• Copies of pertinent lab results e.g. bone mineral density (T score)</li> </ul>   |
| J1742   | <b>Corvert</b>  | Ibutilide fumarate | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• Documented patient weight</li> <li>• History of present disease state and progression in medical records</li> </ul>  |
| J1743   | <b>Elaprase</b>   | Idursulfase        | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• History of present disease state and progression in medical records</li> <li>• Enzyme assay demonstrating a deficiency of iduronate 2-sulfatase enzyme activity or DNA testing</li> </ul>  |
| J1745   | <b>Remicade</b>   | Infliximab         | <ul style="list-style-type: none"> <li>• Documented patient weight, tuberculin skin test results or quantiferon gold lab results within 12 months, hepatitis B status</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>   |

|       |                              |                    |   |
|-------|------------------------------|--------------------|---|
| J1786 | <b>Cerezyme</b>              | Imiglucerase       | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• Documentation of diagnostic evidence supporting the indication for which it is requested</li> <li>• Copies of pertinent lab results e.g. CBC, platelets, hemoglobin, hematocrit, liver function tests, IgG antibody, acid phosphatase, MRI/CT results of liver and spleen</li> <li>• <math>\beta</math>-glucocerebrosidase enzyme assay, DNA testing, or bone marrow histology confirming diagnosis</li> <li>• History of present disease state and progression in medical records</li> </ul> |
| J1826 | <b>Avonex</b>                | Interferon beta-1a | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documentation of diagnostic evidence supporting the indication for which interferon is requested e.g. MRI results</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J1830 | <b>Betaseron<br/>Extavia</b> | Interferon beta-1B | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documentation of diagnostic evidence supporting the indication for which interferon is requested e.g. MRI results</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J1930 | <b>Somatuline</b>            | Lanreotide         | <ul style="list-style-type: none"> <li>• Copies of pertinent lab results e.g. serum GH, IGF-1, glucose levels, heart rate, gall bladder ultrasonography, TRH tests, CT results of pituitary</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous history of surgery and/or radiotherapy</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J1931 | <b>Aldurazyme</b>            | Laronidase         | <ul style="list-style-type: none"> <li>• Documented patient weight, alpha-L iduronidase activity or DNA testing confirming diagnosis</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J2020 | <b>Zyvox</b>                 | Linezolid          | <ul style="list-style-type: none"> <li>• Copies of lab results e.g. culture, antibiotic sensitivity results, CBC with differential</li> </ul>   |
| J2170 | <b>Increlex</b>              | Mecasermin         | <ul style="list-style-type: none"> <li>• <math>\geq 2</math> years of age</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient height and weight</li> <li>• Copies of pertinent lab results</li> </ul>  |
| J2182 | <b>Nucala</b>                | Mepolizumab        | <ul style="list-style-type: none"> <li>• <math>\geq 12</math> years of age</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient height, weight, FEV1 % (without bronchodilator)</li> <li>• Copies of pertinent lab results e.g. IgE levels</li> </ul>  |

|       |                             |              |  |
|-------|-----------------------------|--------------|--|
| J2323 | <b>Tysabri</b>              | Natalizumab  | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Copies of pertinent diagnostic tests e.g. MRI results</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J2357 | <b>Xolair</b>               | Omalizumab   | <ul style="list-style-type: none"> <li>• Copies of pertinent lab results e.g. IgE levels, positive allergy tests, pulmonary function tests, smoking status</li> <li>• History of present disease state and progression in medical records e.g. number of asthma exacerbations, ER visits, significant functional impairment</li> <li>• Age <math>\geq</math> 12 years of age</li> <li>• Previous medication history with trial dates and outcomes</li> </ul> |
| J2358 | <b>Zyprexa<br/>Relprevv</b> | Olanzapine   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J2426 | <b>Invega Sustenna</b>      | Paliperidone | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J2440 | <b>Papacorn</b>             | Papaverine   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J2503 | <b>Macugen</b>              | Pegaptanib   | <ul style="list-style-type: none"> <li>• Intraocular pressure, baseline visual acuity</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J2507 | <b>Krystexxa</b>            | Pegloticase  | <ul style="list-style-type: none"> <li>• Copies of pertinent lab results e.g. serum uric acid level, G6PD deficiency screening</li> <li>• History of present disease state and progression in medical records e.g. number of gout attacks, gout tophus or gouty arthritis</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J2562 | <b>Mozobil</b>              | Plerixafor   | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• Copies of pertinent lab results e.g. serum creatinine, CBC with differential, platelets</li> </ul>  |
| J2778 | <b>Lucentis</b>             | Ranibizumab  | <ul style="list-style-type: none"> <li>• Intraocular pressure, baseline visual acuity</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• <math>\geq</math> 18 years of age</li> </ul>  |
| J2786 | <b>Cinqair</b>              | Reslizumab   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient height, weight, FEV1 % (without bronchodilator)</li> <li>• Copies of pertinent lab results e.g. IgE levels</li> </ul>  |

|       |                         |                          |   |
|-------|-------------------------|--------------------------|---|
| J2793 | <b>Arcalyst</b>         | Rilonacept               | <ul style="list-style-type: none"> <li>• Documented patient weight, immunization history, tuberculin skin test results or quantiferon gold lab results within 12 months</li> <li>• History of present disease state and progression in medical records</li> <li>• Copies of pertinent lab results e.g. lipid profile, CBC with differential, C-reactive protein, serum amyloid A</li> <li>• ≥ 12 years of age</li> </ul>  |
| J2794 | <b>Risperdal Consta</b> | Risperidone              | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J2796 | <b>Nplate</b>           | Romiplostim              | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results e.g. CBC with differential, platelets</li> </ul>  |
| J2840 | <b>Kanuma</b>           | Sebelipase alfa          | <ul style="list-style-type: none"> <li>• ≥ 1 month of age</li> <li>• Documented patient weight and height</li> <li>• History of present disease state and progression in medical records</li> <li>• Copies of lab results e.g. liver function and lipase levels</li> <li>• Documentation of diagnostic evidence supporting the indication for which drug is requested</li> </ul>  |
| J3121 |                         | Testosterone enanthate   | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• Copies of pertinent lab results e.g. fasting level of serum total testosterone collected by 10am</li> </ul>  |
| J3145 |                         | Testosterone undecanoate | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• Copies of pertinent lab results e.g. fasting level of serum total testosterone collected by 10am</li> </ul>  |
| J3262 | <b>Actemra</b>          | Tocilizumab              | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight, immunization history, hepatitis B status</li> <li>• Copies of pertinent lab results e.g. CBC with differential, liver function tests, lipid panel, tuberculin skin test results or quantiferon gold lab results within 12 months</li> </ul> |
| J3285 | <b>Remodulin</b>        | Treprostinil             | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight, right heart catheterization history, baseline 6 minute walking distance test</li> <li>• WHO Group, NYHA Class</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J3355 | <b>Bravelle</b>         | Urofollitropin           | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> </ul>   |

|                |                 |   |   |
|----------------|-----------------|---|---|
| J3357          | <b>Stelara</b>  | Ustekinumab                                   | <ul style="list-style-type: none"> <li>• Documented patient weight, tuberculin skin test results or quantiferon gold lab results within 12 months, immunization history, body surface area affected</li> <li>• Copies of pertinent lab results</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of phototherapy trial if applicable</li> </ul> |
| J3385          | <b>VPRIV</b>    | Velaglucerase alfa                            | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• History of present disease state and progression in medical records</li> <li>• Copies of pertinent lab results e.g. CBC, platelets, hemoglobin, hematocrit, liver function tests, IgG antibody, acid phosphatase, MRI/CT results of liver and spleen, evidence of bone disease (DEXA scan)</li> </ul>   |
| J3396          | <b>Visudyne</b> | Verteporfin                                   | <ul style="list-style-type: none"> <li>• Copies of pertinent lab results e.g. CBC with differential, liver function tests, fluorescein angiography</li> <li>• History of present disease state and progression in medical records</li> <li>• Baseline visual acuity</li> </ul>  |
| J3489          | <b>Reclast</b>  | Zoledronic acid                               | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>  |
| J3490<br>J3590 |                 | Unclassified drugs;<br>Unclassified biologics | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> </ul>   |
| J7175          | <b>Coagadex</b> | factor X (human)                              | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> </ul>   |
| J7178          | <b>RiaSTAP</b>  | human fibrinogen concentrate                  | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> </ul>   |
| J7179          | <b>Vonvendi</b> | Von Willebrand factor (recombinant)           | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul>  |
| J7180          | <b>Corifact</b> | Factor XIII (human)                           | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul>  |
| J7181          | <b>Tretten</b>  | factor XIII A-subunit (recombinant)           | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul>  |

|                                  |                               |                                      |  |
|----------------------------------|-------------------------------|--------------------------------------|--|
| J7182                            | <b>Novoeight</b>              | factor VIII (recombinant)            | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7183<br>J7184<br>J7186<br>J7187 | <b>Wilate Humate P</b>        | Von Willebrand Factor Complex, human | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7185<br>J7188                   | <b>Xyntha</b>                 | Factor VIII, recombinant             | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7189                            | <b>Novoseven</b>              | Factor VIIa, recombinant             | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7190                            | <b>Koate</b>                  | Factor VIII, human                   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7191<br>J7192                   | <b>Helixate FS (Multiple)</b> | Factor VIII, recombinant             | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7193                            | <b>Alphanine, Mononine</b>    | Factor IX, non-recombinant           | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7194                            | <b>Bebulin VH (Multiple)</b>  | Factor IX, complex                   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7195<br>J7196                   | <b>Benefix</b>                | Factor IX recombinant                | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |

|       |                            |  |  |
|-------|----------------------------|--|--|
| J7198 | <b>Feiba VH (Multiple)</b> | Anti-inhibitor coagulant complex                             | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7199 |                            | Hemophilia clot factor NOC                                   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7200 | <b>Rixubis</b>             | Injection, factor IX, (antihemophilic factor, recombinant)   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7201 | <b>Alprolix</b>            | factor IX, Fc fusion protein, (recombinant)                  | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7202 | <b>Idelvion</b>            | factor IX, albumin fusion protein, (recombinant)             | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7205 | <b>Eloctate</b>            | factor VIII, Fc fusion protein (recombinant)                 | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7207 | <b>Adynovate</b>           | factor VIII, (antihemophilic factor, recombinant), pegylated | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results</li> </ul> |
| J7209 | <b>Nuwiq</b>               | factor VIII, (antihemophilic factor, recombinant)            | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J7297 | <b>Liletta</b>             | Levonorgestrel-releasing intrauterine contraceptive system   | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J7298 | <b>Mirena</b>              | Levonorgestrel-releasing intrauterine contraceptive system   | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |

|   |  |  |  |
|---|--|--|--|
| J7300                                     | <b>ParaGard</b>  | Intrauterine copper contraceptive                          | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J7301                                     | <b>Skyla</b>   | Levonorgestrel-releasing intrauterine contraceptive system | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J7303                                     | <b>Nuvaring</b>  | Ethinyl Estradiol and Etonogestrel ring                    | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J7304                                     | <b>Xulane</b>  | Ethinyl Estradiol and Norelgestromin patch                 | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J7306                                     |  | Levonorgestrel implant system                              | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J7307                                     | <b>Implanon<br/>Nexplanon</b>                                    | Etonogestrel implant system                                | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> </ul>  |
| J7308                                     | <b>Levulan<br/>kerastick</b>                                     | Aminolevulinic acid HCl                                    | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> <li>• Previous medication history trial dates and outcomes</li> </ul>  |
| J7309                                     |  | Methyl aminolevulinate                                     | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Appropriate clinical documentation per indication</li> <li>• Previous medication history trial dates and outcomes</li> </ul>   |
| J7312                                     | <b>Ozurdex</b>   | Dexamethasone  | <ul style="list-style-type: none"> <li>• History of present disease state and progression in medical records</li> <li>• Intraocular pressure, baseline visual acuity</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J7320<br>J7322<br>J7324<br>J7326<br>J7328 | <b>Synvisc Genvisc<br/>Orthovisc<br/>Euflexxa<br/>(Multiple)</b> | Hyaluronan or derivative                                   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Physical therapy</li> </ul>   |
| J73365                                    | <b>Qutenza</b>   | Capsaicin  | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J7342                                     | <b>Otiprio</b>   | Ciprofloxacin otic   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J7511                                     | <b>Thymoglobulin</b>   | Antithymocyte globulin                                     | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• Planned immunosuppressive regimen containing tacrolimus, belatacept, cyclosporine, or Rapamune</li> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results e.g. CBC with differential, platelet count</li> </ul> |

|                |  |   |   |
|----------------|--|---|---|
| J7515          | <b>Sandimmune<br/>Gengraf<br/>Neoral</b> | Cyclosporine                                    | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Transplant status if applicable</li> <li>• Documented patient weight</li> </ul>  |
| J7516          | <b>Sandimmune</b>                        | Cyclosporine                                    | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Transplant status if applicable</li> <li>• Documented patient weight</li> </ul>  |
| J7517          | <b>CellCept</b>                          | Mycophenolate mofetil                           | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documentation of negative pregnancy status for woman of child bearing potential</li> <li>• Transplant status if applicable</li> </ul>                                      |
| J7518          | <b>Myfortic</b>                          | Mycophenolate                                   | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Documentation of negative pregnancy status for woman of child bearing potential</li> <li>• Transplant status if applicable</li> </ul>                                      |
| J7520          | <b>Rapamune</b>                          | Sirolimus                                       | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• No major surgeries within 6 weeks of start date</li> <li>• History of present disease state and progression in medical records</li> <li>• Transplant status if applicable</li> </ul>  |
| J7525          | <b>Prograf</b>                           | Tacrolimus                                      | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> <li>• Transplant status if applicable</li> <li>• Documented patient weight</li> </ul>  |
| J7527          | <b>Afinitor</b>                          | Everolimus                                      | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• No major surgeries within 6 weeks of start date</li> <li>• Transplant status if applicable</li> <li>• History of present disease state and progression in medical records</li> <li>• Previous medication history with trial dates and outcomes</li> </ul> |
| J7599          |  | Immunosuppressive drug not otherwise classified | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J7607          |  | Levalbuterol comp                               | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7609<br>J7610 |  | Albuterol comp                                  | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |

|                |                  |                                 |   |
|----------------|------------------|---------------------------------|---|
| J7622          |                  | Beclomethasone inhalation comp  | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7624          |                  | Betamethasone inhalation comp   | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7626          |                  | Budesonide inhalation UD        | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7629          |                  | Bitolterol inhalation comp      | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7633<br>J7634 |                  | Budesonide inhalation           | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7635<br>J7636 |                  | Atropine inhalation comp        | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7637<br>J7638 |                  | Dexamethasone inhalation comp   | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7639          | <b>Pulmozyme</b> | Dornase alfa                    | <ul style="list-style-type: none"> <li>• Pulmonary function tests</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• ≥ 3months of age</li> </ul> |
| J7641          |                  | Flunisolide inhalation comp     | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7642<br>J7643 |                  | Glycopyrrolate inhalation comp  | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7659          |                  | Isoproterenol HCl inhalation UD | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7680<br>J7681 |                  | Terbutaline inhalation comp     | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7683<br>J7684 |                  | Triamcinolone inhalation comp   | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |
| J7685          |                  | Tobramycin comp                 | <ul style="list-style-type: none"> <li>• Documentation of clinical reason why final formulation was inappropriate for use</li> </ul>  |

|                |                |                                       |  |
|----------------|----------------|---------------------------------------|--|
| J7686          | <b>Tyvaso</b>  | Treprostinil inhalation               | <ul style="list-style-type: none"> <li>• Documented patient weight, right heart cauterization history, baseline 6 minute walking distance test</li> <li>• WHO Group, NYHA Class</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J8510          | <b>Myleran</b> | Busulfan                              | <ul style="list-style-type: none"> <li>• Documented patient weight</li> <li>• Copies of pertinent lab results e.g. CBC with differential, platelet count, liver function tests</li> </ul>  |
| J8515          |                | Cabergoline                           | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J8520<br>J8521 | <b>Xeloda</b>  | Capecitabine                          | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J8560          |                | Etoposide                             | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J8597          |                | Antiemetic drug                       | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation per indication</li> </ul>  |
| J8600          |                | Melphalan                             | <ul style="list-style-type: none"> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J8650          |                | Nabilone                              | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |
| J8700          | <b>Temodar</b> | Temozolomide                          | <ul style="list-style-type: none"> <li>• Documented patient weight, height,</li> <li>• Copies of lab results e.g. CBC with differential, platelet count, liver function tests</li> <li>• Previous medication history with trial dates and outcomes</li> <li>• History of present disease state and progression in medical records</li> </ul> |
| J8999          |                | Prescription drug, oral, chemotherapy | <ul style="list-style-type: none"> <li>• Appropriate clinical documentation for indication</li> </ul>  |
| J9228          | <b>Yervoy</b>  | Ipilimumab                            | <ul style="list-style-type: none"> <li>• Documented patient weigh</li> <li>• Copies of pertinent lab results e.g. liver function tests</li> <li>• History of present disease state and progression in medical records</li> </ul>   |
| J9302          | <b>Arzerra</b> | Ofatumumab                            | <ul style="list-style-type: none"> <li>• Documented patient weight, Hepatitis B status</li> <li>• Copies pertinent lab results e.g. CBC with differential, platelet count</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>  |
| J9310          | <b>Rituxan</b> | Rituximab                             | <ul style="list-style-type: none"> <li>• Documented patient weight, height, Hepatitis B status</li> <li>• Copies of pertinent lab results e.g. CBC with differential, platelet count</li> <li>• Previous medication history with trial dates and outcomes</li> </ul>   |

\*\*\*Fidelis Care mandates the use of generic drugs, if available\*\*\*